

## Type AB2 Seals Armstrong / B&G



U.S. Seal replacements for type AB2 & Type 8B2  
used in **Armstrong 4300 & 80-SC B&G Pumps**  
gaskets included  
aflas / antimony carbon / silicon carbide

**975002-304VG**  
shaft size 1-1/8"  
replaces Armstrong 975002-304

**975002-334VG**  
shaft size 1-5/8"  
replaces Armstrong 975002-334

**A-75202**  
shaft size 1-1/4"  
replaces B&G P75202 / 134798  
**\*\*other sizes available**

## A-8501VXX (Honda)



30mm seal for Honda WT40X trash pump  
viton / carbon / silicon carbide  
seal O.D. (metal cup press fit) : 52mm  
cup seat : 48mm x 8mm

## Type 2 Seals - Armstrong



popular seals for Armstrong pumps  
**call for qty discounts**

**975000-982**  
1-1/4" EPT / carbon / silicon carbide  
cup seat : 1.875" x .437"

**975000-984**  
1-5/8" EPT / carbon / silicon carbide  
cup seat : 2.375" x .500"

## 21607A001 (MYERS)



seal for Myers effluent pumps  
1/2" shaft mounted seat : .190" thick

## B&G - Sta-Rite / Berkeley



1-1/4" Type G, short w.l. similar to type 16  
rotary uncompressed 1.130"  
seat : 1.875" x .437"

**A-3883**  
buna / carbon / ceramic  
replaces **Sta-Rite / Berkeley U9-433SS**

**A-6261E**  
ept / carbon / ceramic  
replaces **B&G P75221, for VSX pumps**

## ( Aquascape )



**A-12MMAQU**  
12mm double seal  
seats : 26mm x 2mm  
silicon carbide seat & rotary 1 side

**A-14MMAQU**  
14mm double seal  
seats : 28mm x 5mm  
silicon carbide seat & rotary 1 side

## Grundfos Seals for CR / CRI / CRN Pumps



bellows component seal

**A-1301G**  
12mm viton / silicon carbide both faces  
seat : 23mm x 9mm

**A-1304G**  
16mm viton / silicon carbide both faces  
seat : 27mm x 10mm



cartridge seal

**A-1503G**  
12mm viton / silicon carbide both faces

**A-1508G**  
16mm viton / silicon carbide both faces

## A-4240 (Goulds)



5/8" Type 16, replaces **Goulds 10K10**  
buna / carbon / ceramic  
cup seat : 1.187" x .296"

## BUNA / CARBON For Hot Tub and Spa Applications



Part #	Shaft Size	Seat Size
A-100BCJ	5/8	1.187 X .343
A-200BCJ	5/8	1.250 x .406
A-201BCJ	3/4	1.375 x .406

A-1000SSBCJ 5/8 1.250 x .406

\*\*seals made by U.S. Seal / John Crane

## AR-8020AR



9mm AR seal  
buna / carbon / ceramic  
cup seat : 26mm x 8mm

## VITON / CARBON For Salt Water, Ozone and Chlorine Generators



Part #	Shaft Size	Seat Size
A-100VUS	5/8	1.187 X .343
A-200VUS	5/8	1.250 x .406
A-201VUS	3/4	1.375 x .406

A-1000SSVUS 5/8 1.250 x .406

\*\* seals made by U.S. Seal / John Crane

## A-7079VG



seal kit fits Gorman Rupp T3, T4, T5  
1-1/2" type 1, viton / TC / TC  
"bullet" shaped O-ring seat : 2.375" o.d.  
SS sleeve : 1.250" x 1.500" x 2.300" long

## Goulds Seals for Stainless Verticle Pumps



Part #	Shaft Size	Pump	Seat Size
A-12VXXGOU	12mm	1SV, 2SV	23mm x 6.6mm
A-16VXXGOU	16mm	3SV, 4SV	27mm x 6.6mm
A-25VXXGOU	25mm	5SV, 6SV	40mm x 7.5mm

## A-4031 (GOULDS)



5/8" type 21, replaces 10K55  
viton / carbon / silicon carbide  
cup seat : 1.187" x .296"

## P-80

water based formula designed to lubricate rubber  
making installation of mechanical seals fast & easy  
15 to 20 minutes work time before drying  
totally evaporates, leaving no residue



**A-LUBEPP**  
pillow pak



**A-LUBE10ML**  
10ml tubes

## 750206-200



0-200 psi water pressure gauge  
1/4" back mount

## Run Capacitors With Threaded Bolt

Acme #	Fig.	MFD	Voltage	Case Size	
RBOLT2-450	1	2	450	28mm	X 55mm
RBOLT3-450	1	3	450	28mm	X 55mm
RBOLT4-450	1	4	450	28mm	X 55mm
RBOLT5-450	1	5	450	30mm	X 60mm
RBOLT6-450	1	6	450	32mm	X 55mm
RBOLT6-450QC	2	6	450	32mm	X 55mm
RBOLT7-450	1	7	450	36mm	X 57mm
RBOLT8-450	1	8	450	36mm	X 60mm
RBOLT8-450QC	1	8	450	36mm	X 60mm
RBOLT10-440QC	4	10	440	1.75"	X 3.125"
RBOLT10-450QC	2	10	425	36mm	X 59mm
RBOLT10-450	1	10	450	36mm	X 59mm
RBOLT12-450	1	12	450	40mm	X 70mm
RBOLT12-450QC	2	12	450	40mm	X 70mm
RBOLT16-250	1	16	250	36mm	X 60mm
RBOLT16-450	1	16	450	40mm	X 71mm
RBOLT16-450QC	2	16	450	40mm	X 71mm
RBOLT20-440QC	4	20	440	1.75"	X 2.875"
RBOLT20-450	1	20	450	40mm	X 72mm
RBOLT20-450QC	2	20	450	40mm	X 72mm
RBOLT25-450	1	25	450	40mm	X 94mm
RBOLT25-450QC	2	25	450	40mm	X 94mm
RBOLT30-450	1	30	450	40mm	X 94mm
RBOLT30-450QC	2	30	450	40mm	X 94mm
RBOLT31-450QC	2	31.5	450	45mm	X 94mm
RBOLT35-250	3	35	250	35mm	X 61mm
RBOLT35-450	1	35	450	45mm	X 95mm
RBOLT35-450QC	2	35	450	45mm	X 95mm
RBOLT40-450	1	40	450	45mm	X 95mm
RBOLT40-450QC	2	40	450	45mM	X 95mm
RBOLT50-400	1	50	400	50mm	X 120mm
RBOLT50-400QC	2	50	400	50mm	X 120mm
RBOLT60-400	1	60	400	50mm	X 120mm
RBOLT60-400QC	2	60	400	50mm	X 120mm
RBOLT70-400QC	2	70	400	50mm	X 120mm
RBOLT70-450	1	70	450	50mm	X 120mm
RBOLT80-250	1	80	250	45mm	X 120mm
RBOLT80-450	1	80	450	55mm	X 120mm
RBOLT80-450QC	2	80	450	55mm	X 120mm
RBOLT90-400	1	90	400	55mm	X 120mm
RBOLT100-400	1	100	400	60mm	X 120mm

case size does not include bolt...can sizes may vary



**Fig. 1**  
flying leads, plastic can



**Fig. 2**  
1/4" quick connects, plastic can



**FIG. 3**  
flying leads, metal can



**FIG. 4**  
1/4" quick connects, metal can

**LED965**



stock on this common overload  
there are no hp or amp ratings

**BRJ45DA**



stock on this common overload  
there are no hp or amp ratings

**CEJ38CD**



stock on this common overload  
there are no hp or amp ratings

**RCR55-240LIGHT**



run capacitor for HID lighting  
55mfd 240V 105C. temp rating  
45mm X 92mm

**RCR70-370**




run capacitor, 70mfd 370V round  
2-1/2" x 3-3/4"

**RCR35-300L**




run capacitor, short height  
35mfd 300V, 2" x 3-1/8" tall

**Berkeley Gasket**




**L20-43** 6-11/16" X 8-3/4"  
for LT2 2-stage pump

**Myers Gasket**



**MG-013** 6" X 7-5/8"

**Myers Gasket**



**MG-312** 5" X 6"  
**MG-446** 5-5/8" X 6-3/8"

**MAWS-12**



"excellent quality"  
wire stripper for #16 to #20 gauge

**WRST-72**




wire stripper 5-7/8" long  
for cleaning varnish off of copper wire

**MYERS RUBBER RINGS**



**MG-125** 1.300" X 1.570" X .437"  
**MG-124** 1.650" X 1.920" X .437"

**WGS-8204**  
( WEG )



2 sets of contacts  
Mtg. holes : 2" c.-c.  
Hole for overload 1-1/4"

**BAS-5172**  
( BALDOR )



Torq switch, 2 sets of contacts  
Mtg. holes : 3-3/8" c.-c.  
Plate hole 2-15/16"

**PV-47X1-1/8**



Variable pitch pulley  
4-3/4" x 1-1/8"

**WA-3320**



miniature nylon cable tie  
8" long x .095" wide x .042" thick  
sold per 100

**BAF-2105**  
( Baldor )



plastic fan 1/2" x 5"

**MF-370**  
( Marathon )



plastic fan 3/4" x 4-1/2"

**WGF-8721**  
( Weg )



plastic fan 34mm x 135mm

**WGF-8722**  
( Weg )



plastic fan 35mm x 185mm

**FS-367**  
( Franklin / Bluffton )



stationary switch for ice cream machine  
2 sets of contacts  
mtg holes : 1-1/2" & 2-1/2" c.-c.

